

各種鋼管標準寸法重量表



PIPE no YAMATO

圧力配管用炭素鋼鋼管 JIS G3454 (STPG)

高圧配管用炭素鋼鋼管 JIS G3455 (STS)

高温配管用炭素鋼鋼管 JIS G3456 (STPT)

Sch.40以上 (上段=kg/m
下段=kg/5.5m)

呼び径			呼び 厚 さ (mm)											
(A)	(B)	外径 mm	S.G.P	スケジュール 10	スケジュール 20	スケジュール 30	スケジュール 40	スケジュール 60	スケジュール 80	スケジュール 100	スケジュール 120	スケジュール 140	スケジュール 160	
6	⅜	10.5	2.0	0.419 2.30			1.7	0.369 2.03	2.2	0.450 2.48	2.4	0.479 2.83		
8	⅜	13.8	2.3	0.652 3.59			2.2	0.629 3.46	2.4	0.675 3.71	3.0	0.799 4.39		
10	⅜	17.3	2.3	0.851 4.68			2.3	0.851 4.68	2.8	1.00 5.5	3.2	1.11 6.10		
15	⅜	21.7	2.8	1.31 7.20			2.8	1.31 7.20	3.2	1.46 8.03	3.7	1.84 9.02		4.7 19.7
20	⅜	27.2	2.8	1.68 9.24			2.9	1.74 9.57	3.4	2.00 11.0	3.9	2.24 12.3		5.5 29.4
25	1	34.0	3.2	2.43 13.4			3.4	2.57 14.1	3.9	2.89 15.9	4.5	3.27 18.0		6.4 43.6
32	1 ⅜	42.7	3.5	3.38 18.6			3.6	3.47 19.1	4.5	4.24 23.3	4.9	4.57 25.1		6.4 57.3
40	1 ½	48.6	3.5	3.89 21.4			3.7	4.10 22.6	4.5	4.89 26.9	5.1	5.47 30.1		7.1 72.7
50	2	60.5	3.8	5.31 29.2	3.2	4.52 24.9	3.9	5.44 29.9	4.9	6.72 37.0	5.5	7.46 41.0		8.7 11.1
65	2 ½	76.3	4.2	7.47 41.1	4.5	7.97 43.8	5.2	9.12 50.2	6.0	10.4 57.2	7.0	12.0 66.0		9.5 15.6
80	3	89.1	4.2	8.79 48.3	4.5	9.39 51.6	5.5	11.3 62.2	6.6	13.4 73.7	7.6	15.3 84.2		11.1 118
90	3 ½	101.6	4.2	10.1 55.8	4.5	10.8 59.4	5.7	13.5 74.2	7.0	16.3 89.6	8.1	18.7 103		12.7 27.8
100	4	114.3	4.5	12.2 67.1	4.9	13.2 72.6	6.0	16.0 88.0	7.1	18.8 103	8.6	22.4 123	11.1 28.2	13.5 33.6
125	5	139.8	4.5	15.0 82.5	5.1	16.9 83.0	6.6	21.7 119	8.1	26.3 145	9.5	30.5 168	12.7 39.8	15.9 48.6
150	6	165.2	5.0	19.8 109	5.5	21.7 118	7.1	27.7 152	9.3	35.8 197	11.0	41.8 230	14.3 53.2	18.2 66.0
175	7	190.7	5.3	24.2 133										
200	8	216.3	5.8	30.1 166	6.4	33.1 182	7.0	36.1 199	8.2	42.1 232	10.3	52.3 288	12.7 63.8	15.1 74.9
225	9	241.8	6.2	36 198										
250	10	267.4	6.6	42.4 233	6.4	41.2 227	7.8	49.9 274	9.3	59.2 326	12.7	79.8 439	15.1 93.9	18.2 112
300	12	318.5	6.9	53.0 292	6.4	49.3 271	8.4	64.2 353	10.3	78.3 431	14.3	107 588	17.4 129	21.4 157
350	14	355.6	7.9	67.7 372	6.4	55.1 303	7.9	67.7 372	9.5	81.1 446	11.1	94.3 519	15.1 127	19.0 158
400	16	408.4	7.9	77.6 427	6.4	63.1 347	7.9	77.6 427	9.5	93.0 512	12.7	123 676	16.7 160	21.4 203
450	18	457.2	7.9	87.5 481	6.4	71.1 391	7.9	87.5 481	11.1	122 671	14.3	156 858	19.0 205	
500	20	508.0	7.9	97.4 536	6.4	79.2 436	9.5	117 644	12.7	155 852	15.1	184 1012	20.6 248	
550	22	558.8			6.4	87.2 480	9.5	129 710	12.7	171 940	15.9	213 1172	22.2 294	28.6 374
600	24	609.6			6.4	95.2 524	9.5	141 776	14.3	228 1254	17.5	256 1408	24.6 355	31.0 442
650	26	660.4			7.9	127 699	12.7	203 1116			18.9	299 1644	26.4 413	34.0 525

STPY (JIS G3457 [355.6以上のサイズ]) 一般構造用炭素鋼鋼管

サイズ	kg/m	サイズ	kg/m	サイズ	kg/m	サイズ	kg/m	サイズ	kg/m
21.7×1.9	0.928	101.6×8.1	18.7	267.4×15.1	93.9	457.2×23.8	254	711.2×7.9	137
×2.3	1.10	114.3×3.5	9.56	318.5×6.0	46.2	508.0×6.0	74.3	×9.5	164
×2.8	1.31	×4.5	12.2	×6.9	53.0	×6.4	79.2	×12.7	219
27.2×1.9	1.19	×6.0	16.0	×7.9	60.5	×7.9	97.4	×16.0	274
×2.3	1.41	×8.6	22.4	×9.5	72.4	×9.5	117	762.0×6.4	119
×2.8	1.68	139.8×3.5	11.8	×10.3	78.3	×12.7	155	×7.9	147
34.0×2.3	1.80	×4.0	13.4	×12.7	95.8	×15.1	184	×9.5	176
×3.2	2.43	×4.5	15.0	×14.3	107	×16.0	194	812.8×6.4	127
42.7×2.3	2.29	×6.0	19.8	×17.4	126	×19.0	229	×7.1	141
×2.8	2.76	×6.6	21.7	355.6×6.0	51.7	×20.6	248	×7.9	157
×3.2	3.12	×9.5	30.5	×6.4	55.1	×26.2	311	×9.5	188
×3.5	3.38	165.2×3.7	14.7	×7.9	67.7	558.8×6.4	87.2	×12.7	251
48.6×2.3	2.63	×4.5	17.8	×9.5	81.1	×7.9	107	×16.0	314
×3.2	3.58	×5.0	19.8	×11.1	94.3	×9.5	129	×19.0	372
×3.5	3.89	×6.0	23.6	×12.7	107	×12.7	171	863.6×7.9	167
60.5×2.3	3.30	×7.1	27.7	×16.0	134	×16.0	214	914.4×7.9	177
×2.8	3.98	×9.3	35.8	×19.0	158	×19.0	253	×9.5	212
×3.2	4.52	×11.0	41.8	406.4×6.0	59.2	×22.0	291	×12.7	282
×3.8	5.31	190.7×4.5	20.7	×6.4	63.1	609.6×6.0	89.3	×16.0	354
76.3×2.8	5.08	×5.3	24.2	×7.9	77.6	×6.4	95.2	×19.0	420
×3.2	5.77	×6.0	27.3	×9.5	93.0	×7.9	117	1,016.0×7.9	196
×4.2	7.47	×7.0	31.7	×12.7	123	×9.5	141	×8.7	216
×5.2	9.12	216.3×4.5	23.5	×16.0	154	×12.7	187	×9.5	236
89.1×2.8	5.96	×5.8	30.1	×19.0	182	×16.0	234	×12.7	314
×3.2	6.78	×7.0	36.1	457.2×6.0	66.8	×19.0	277	×16.0	395
×3.5	7.39	×8.2	42.1	×6.4	71.1	×25.0	360	1,117.6×10.3	281
×4.2	8.79	×12.7	63.8	×7.9	87.5	660.4×6.4	103	1,219.2×9.5	283
×5.5	11.3	241.8×6.2	36.0	×9.5	105	×7.9	127	×11.1	331
×7.6	15.3	267.4×6.0	38.7	×12.7	139	×9.5	152	×12.7	378
101.6×3.2	7.76	×6.6	42.4	×14.3	156	×12.7	203	×16.0	475
×4.2	10.1	×9.3	59.2	457.2×16.0	174	×16.0	254		
×5.7	13.5	×12.7	79.8	×19.0	205	711.2×6.4	111		

単長 5.5、6.0、12.0

※上記のサイズ以外でもお問い合わせ下さい。

外 径 m / m	肉厚 kg / m	kg / m	kg / P (5.5 m)		外 径 m / m	肉厚 kg / m	kg / m	kg / P (5.5 m)	
9.5	1.0	0.210		(3.66m)	28.6	1.6	1.07	5.88	
12.7	1.0	0.289	1.59		31.8	1.2	0.906	4.98	
◇	1.2	0.340	1.87		◇	1.6	1.19	6.54	
◇	1.6	0.438	2.41		34.0	1.6	1.28	7.04	
15.9	1.0	0.367	2.02		38.1	1.2	1.09	6.00	
◇	1.2	0.436	2.39		◇	1.6	1.44	7.92	
◇	1.6	0.564	3.10		◇	2.0	1.78	9.79	
19.1	1.0	0.446	2.45		42.7	1.2	1.23	6.76	
◇	1.2	0.530	2.92		◇	1.6	1.62	8.91	
◇	1.6	0.690	3.80		48.6	1.2	1.40	7.70	
22.2	1.0	0.523	2.88		◇	1.6	1.85	10.2	
◇	1.2	0.621	3.42		50.8	1.2	1.47	8.08	
◇	1.4	0.718	3.95		◇	1.6	1.94	10.7	
◇	1.6	0.813	4.47		60.5	1.6	2.32	12.8	
◇	2.0	0.996	5.48		63.5	1.6	2.44	13.4	
25.4	1.0	0.602	3.31		◇	2.0	3.03	16.7	
◇	1.2	0.716	3.94		76.3	1.6	2.96	16.2	
◇	1.4	0.829	4.56		◇	1.8	3.31	18.2	
◇	1.6	0.939	5.16		◇	2.0	3.66	20.1	
◇	2.0	1.15	6.32						
28.6	1.2	0.811	4.46						
◇	1.4	0.939	5.16						

※上記のサイズ以外でもお問い合わせ下さい。

STKM-E 電 縫 管

規 格	サイズ	長さ (mm)	重量 (kg)		規 格	サイズ	長さ (mm)	重量 (kg)	
STKM-11A	25.4×2.0	5,500	6.32		KEG-12R	×3.2	5,500	13.40	
-13A	×2.3	5,500	7.20		-12R	×3.5	5,500	14.50	
-11A	×3.2	5,500	9.62		STKM-13A	34.0×4.0	5,500	16.30	
KEG-12R	×3.5	5,500	10.40		KEG-12R	×4.5	5,500	18.00	
STKM-13A	27.2×2.6	5,500	8.69		-12R	×5.0	5,500	19.70	
-13A	×3.2	5,500	10.40		-12R	×5.5	5,500	21.30	
-13A	×3.5	5,500	11.30		-12R	×6.4	5,500	24.00	
-13A	×3.9	5,500	12.30		SAKM-11A	35.0×1.6	5,500	7.26	
-13A	×6.0	5,500	17.30		-11A	×2.0	5,500	8.96	
-11A	28.6×2.3	5,370	8.00		KEG-12R	38.1×2.0	5,500	9.79	
-11A	31.8×2.3	5,500	9.18		-12R	2.3	5,500	11.20	
KEG-12R	×2.6	5,500	10.30		-12R	×2.6	5,500	12.50	
-12R	×2.9	5,500	11.40		-12R	×2.9	5,500	13.90	
-12R	×3.2	5,500	12.40		-12R	×3.2	5,500	15.10	
-12R	×3.5	5,500	13.40		-12R	×3.5	5,500	16.40	
STKM-13A	×4.0	5,500	15.10		-12R	×4.0	5,500	18.50	
KEG-12R	×5.0	5,500	18.20		SKTM-13A	×4.5	5,500	20.50	
-12R	34.0×2.3	5,500	9.90		KEG-12R	×5.0	5,500	22.40	
-12R	×2.6	5,500	11.10		-12R	×5.5	5,500	24.30	
-12R	×2.9	5,500	12.20		-12R	×6.0	5,500	26.10	

※上記のサイズ以外でもお問い合わせ下さい。

STKM-E 電 縫 管

規 格	サイズ	長さ (mm)	重量 (kg)		規 格	サイズ	長さ (mm)	重量 (kg)	
KEG-12R	38.1×6.5	5,500	27.90		STKM-11A	48.6×4.0	5,500	24.20	
-12R	×7.0	5,500	29.50		-11A	×4.5	5,500	26.90	
-12R	×7.5	5,500	31.10		-11A	×6.0	5,500	34.70	
-12R	42.7×4.5	5,500	23.30		KEG-12R	×7.1	5,500	40.00	
-12R	×5.0	5,500	25.60		STKM-11A	50.8×2.0	5,500	13.30	
-12R	×5.5	5,500	27.80		-11A	×2.3	5,500	15.10	
-12R	×6.5	5,500	31.90		KEG-12R	×2.6	5,500	17.00	
-12R	×7.0	5,500	33.90		STKM-11A	×3.2	5,500	20.70	
-12R	45.0×2.9	5,500	16.60		KEG-12R	×3.5	5,500	22.40	
STKM-11A	×3.2	5,500	18.20		-12R	×4.0	5,500	25.40	
KEG-12R	×3.5	5,500	19.70		-12R	×4.5	5,500	28.30	
STKM-13A	×4.0	5,500	22.20		-12R	×5.0	5,500	31.10	
KEG-12R	×4.5	5,500	24.70		-12R	×6.0	5,500	36.50	
-12R	×5.5	5,500	29.50		-12R	×7.0	5,500	41.60	
-12R	×6.0	5,500	31.70		-12R	×8.0	5,500	46.40	
-12R	×6.3	5,500	33.10		-12R	×9.0	5,500	51.00	
-12R	48.6×2.6	5,500	16.20		-12R	×9.5	5,500	53.20	
-12R	×3.5	5,500	21.40		-12R	54.0×3.2	5,500	22.10	
					-12R	×4.0	5,500	27.10	

※上記のサイズ以外でもお問い合わせ下さい。

STKM-E 電 縫 管

規 格	サイズ	長さ (mm)	重量 (kg)		規 格	サイズ	長さ (mm)	重量 (kg)	
KEG-12R	54.0×5.0	5,500	33.20		KEG-12R	63.5×5.0	5,500	39.70	
-12R	57.0×2.9	5,500	21.30		-12R	70.0×3.2	5,500	29.00	
STKM-11A	×3.2	5,500	23.40		-12R	×4.0	5,500	35.80	
KEG-12R	×3.5	5,500	25.40		-12R	×5.0	5,500	44.10	
STKM-11A	57.1×1.6	6,000	13.10		STKM-11A	76.3×1.6	5,500	16.20	
KEG-12R	60.5×2.5	5,500	19.70		-11A	×1.6	6,020	17.80	
KEG-12R	60.5×2.9	5,500	22.70		KEG-12R	×2.6	5,500	26.00	
-12R	×4.0	5,500	30.60		-12R	×3.5	5,500	34.50	
-12R	×4.5	5,500	34.20		-12R	×4.5	5,500	43.80	
-12R	×5.0	5,500	37.60		-12R	×5.0	5,500	48.30	
-12R	×5.5	5,500	41.00		STKM-13B	×6.0	5,600	58.20	
-12R	×6.0	5,500	44.30		-13B	×7.0	5,500	66.00	
-12R	×7.0	5,600	51.70		KEG-12R	×8.0	5,500	74.20	
-12R	×9.0	5,500	62.70		STKM-11A	89.1×4.2	5,500	48.30	
STKM-11A	63.5×1.6	5,630	13.70		-11A	101.6×4.5	5,500	59.40	
KEG-12R	×3.2	5,630	26.80		KEG-12R	×6.5	5,500	83.60	
-12R	×4.0	5,630	33.00		STK-41	216.3×4.0	5,500	115.00	
-12R	×4.5	5,500	36.00						

※上記のサイズ以外でもお問い合わせ下さい。

STKR (JIS G3466)

構造用角型鋼管

(中 径 角)

		厚サ	kg/m	kg/6m	kg/8m
	50×20	1.6	1.63	9.78	
		2.3	2.25	13.5	
40×40		2.0	2.41	14.5	
		2.3	2.75	16.5	
		3.2	3.76	22.6	
	60×30	1.6(R)	2.13	12.8	
		2.3	2.98	17.9	23.8
		3.2	3.99	23.9	31.9
50×50		1.6	2.38	14.3	
		2.3	3.34	20.0	26.7
		3.2	4.50	27.0	36.0
60×60	75×45	1.6	2.88	17.3	
		2.3	4.06	24.4	32.5
		3.2	5.50	33.0	44.0
75×75	100×50	2.3	5.14	30.8	41.1
		3.2	7.01	42.1	56.1
80×80		2.3	5.50	33.0	
		3.2	7.51	45.1	
100×100	125×75	2.3	6.95	41.7	55.6
		3.2	9.52	57.1	76.2
		4.5	13.1	78.6	105
		6.0	17.0	102	136
125×125	150×75	3.2	10.8	64.8	
		3.2	12.0	72.0	96
	150×100	4.5	16.6	99.6	133
		6.0	21.7	130	174
150×150	200×100	4.5	20.1	121	161
		6.0	26.4	158	211
175×175		6.0	31.1	187	
200×200		4.5	27.2	163	
		6.0	35.8	215	
		8.0	46.9	281	

STKMR

機械構造用角型鋼管

(小 径 角)

※のみ5.0M定尺

		厚サ	kg/m	kg/5.5m
9×9		1.0	0.289	※
13×13	19×10	1.2	0.53	2.92
16×16	22×10	1.2	0.621	3.42
		1.6	0.813	4.47
19×19	25×12	1.2	0.716	3.94
		1.6	0.939	5.16
21×21		1.2	0.811	4.46
22×22R		1.6	1.07	5.88
24×24	32×14	1.2	0.906	4.98
25×25R	32×16			
26×26R	30×20R	1.6	1.19	6.54
25×25		1.2	0.971	5.34
		1.6	1.28	7.04
28×28	40×16	1.2	1.09	6.0
31×31R	40×20R			
32×32	40×25	1.2	1.23	6.77
		1.6	1.62	8.91
38×38	50×26	1.6	1.94	10.7
40×40R	50×30R			
45×45	60×30	1.6	2.32	12.8
	70×25	1.6	2.44	13.4
	75×25R			
	70×30R			
	80×40R	1.6	2.95	16.2
	90×30R			



特殊角パイプ、异形管

冷間ロール成形による特殊角パイプ、异形管の取扱い、少量からいたします。

※上記のサイズ以外でもお問い合わせ下さい。

シリンダ チューブ用炭素鋼鋼管 (J I S G3473)

サ イ ズ	単 重 kg/m	サ イ ズ	単 重 kg/m	サ イ ズ	単 重 kg/m
20 × 28	2.37	70 × 80	9.25	127 × 140	21.4
× 30	3.08	× 85	14.3	130 × 142	20.1
25 × 35	3.70	× 89.1	18.7	× 150	34.5
30 × 40	4.32	× 90	19.7	140 × 153	23.5
× 45	6.94	75 × 83	7.79	× 160	37
35 × 42	3.32	× 85	9.86	× 165	47
× 45	4.93	× 89.1	14.3	150 × 162	23.1
× 50	7.86	× 90	15.3	× 163	25.1
40 × 46	3.18	80 × 89.1	9.49	× 165	29.1
× 48	4.34	× 90	10.5	× 168	35.3
× 50	5.55	× 93	13.9	× 175	50.1
× 54	8.11	× 95	16.2	× 178	56.6
× 55	8.79	× 100	22.2	160 × 175	31
× 60	12.33	× 101.6	24.2	× 178	37.5
45 × 55	6.17	85 × 101.6	19.1	× 180	41.9
× 60	9.71	89 × 101.6	14.8	× 185	53.2
50 × 58	5.33	90 × 100	11.7	× 190	64.7
× 60	6.78	× 105	18	180 × 196	37.1
× 65	10.6	× 110	24.7	× 200	46.9
× 70	14.8	100 × 109	11.6	× 210	72.1
55 × 65	7.40	× 110	12.9	200 × 216.3	41.8
× 70	11.6	× 114.3	18.9	× 230	79.5
60 × 70	8.01	× 116	21.3		
× 75	12.5	× 120	27.1		
× 80	17.3	× 130	42.5	30 × 36	2.44
63 × 71	6.61	105 × 120	20.8	40 × 45	2.62
× 73	8.38	110 × 120	14.2	50 × 55	3.24
× 76.3	11.4	× 125	21.7	63 × 68	4.04
× 80	15	× 130	29.6	80 × 87	7.21
× 83	18	× 135	37.8	100 × 107	8.93
65 × 75	8.63	115 × 130	22.7	125 × 134	14.4
× 76.3	9.84	120 × 132	18.6	140 × 150	17.9
× 80	13.4	× 140	32.1	150 × 160	19.1
× 82.6	16.0	125 × 137	19.4	160 × 170	20.3
		× 140	24.5	180 × 193	29.9
		× 145	33.3	200 × 213	33.1
		× 152.4	46.9		

※上記のサイズ以外でもお問い合わせ下さい。

油圧配管用継目無精密炭素鋼鋼管 (OST-2)

(単位kg/m)

肉厚 外径	1.0 mm	1.2	1.5	2.0	2.5	3.0	3.5	4.0 mm	肉厚 外径
mm									mm
4	0.074								4
6	0.123		0.166	0.197					6
8	0.173		0.240	0.296					8
10	0.222	0.260	0.314	0.395					10
12	0.271	0.320	0.388	0.493	0.586				12
15		0.408	0.499	0.641	0.771	0.888			15
16			0.536	0.690	0.832	0.962			16
18			0.610	0.789	0.956	1.11			18
20		0.556	0.684	0.888	1.08	1.26	1.42		20
22				0.986	1.20	1.41	1.60		22
25			0.869	1.13	1.39	1.63	1.86	2.07	25
28				1.28	1.57	1.85	2.11		28
30				1.38	1.70	2.00		2.56	30
35				1.63		2.37	2.72		35
38							2.98	3.35	38
外径 肉厚	1.0 mm	1.2	1.5	2.0	2.5	3.0	3.5	4.0 mm	外径 肉厚

配管用ステンレスパイプの標準寸法および重量 (JIS G3459)

呼び径		外 径 (mm)	区 分	呼　　び　　厚　　さ															
				スケジュール5S				スケジュール10S			スケジュール20S			スケジュール40			スケジュール80		
				厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		
					種　　類			種　　類			種　　類			種　　類			種　　類		
304種	316種	304種	316種		304種	316種		304種	316種		304種	316種		304種	316種				
(A)	(B)			304L	316L	304L	316L	304L	316L	304L	316L	304L	316L	304L	316L	304L	316L		
				309S		309S		309S		309S		309S		309S		309S			
				321	310S		321	310S		321	310S		321	310S		321	310S		
6	1/8	10.5	E	1.0	0.237	0.238	1.2	0.278	0.280	1.5	0.336	0.338	2.0	0.423	0.426				
			S	1.0	0.237	0.238	1.2	0.278	0.280	1.5	0.336	0.338	1.7	0.373	0.375	2.4	0.484	0.487	
8	1/4	13.8	E	1.0	0.377	0.379	1.5	0.459	0.462	2.0	0.588	0.592	2.5	0.704	0.708	3.0	0.807	0.812	
			S	1.2	0.377	0.379	1.65	0.499	0.503	2.0	0.588	0.592	2.2	0.636	0.640	3.0	0.807	0.812	
10	3/8	17.3	E	1.2	0.481	0.484	2.0	0.762	0.767	2.0	0.762	0.767	2.5	0.922	0.928				
			S	1.2	0.481	0.484	1.65	0.643	0.647	2.0	0.762	0.767	2.3	0.859	0.867	3.2	1.12	1.13	
15	1/2	21.7	E	1.5	0.755	0.760	2.0	0.981	0.988	2.5	1.20	1.20	3.0	1.40	1.41				
			S	1.65	0.824	0.829	2.1	1.03	1.03	2.5	1.20	1.20	2.8	1.32	1.33	3.7	1.66	1.67	
20	3/4	27.2	E	1.5	0.960	0.966	2.0	1.26	1.26	2.5	1.54	1.55	3.0	1.81	1.82				
			S	1.65	1.05	1.06	2.1	1.31	1.32	2.5	1.54	1.55	2.9	1.76	1.77	3.9	2.26	2.28	
25	1	34.0	E	2.0	1.59	1.60	3.0	2.32	2.33	3.0	2.32	2.33	3.5	2.66	2.68				
			S	1.65	1.33	1.34	2.8	2.18	2.19	3.0	2.32	2.33	3.4	2.59	2.61	4.5	3.31	3.33	
32	1 1/4	42.7	E	2.0	2.03	2.04	3.0	2.97	2.99	3.0	2.97	2.99	3.5	3.42	3.44				
			S	1.65	1.69	1.70	2.8	2.78	2.80	3.0	2.97	2.99	3.6	3.51	3.53	4.9	4.61	4.64	
40	1 1/2	48.6	E	2.0	2.32	2.34	3.0	3.41	3.43	3.0	3.41	3.43	4.0	4.44	4.47	5.1	5.53	5.56	
			S	1.65	1.93	1.94	2.8	3.19	3.21	3.0	3.41	3.43	3.7	4.14	4.16	5.1	5.53	5.56	
50	2	60.5	E	2.0	2.91	2.93	3.0	4.30	4.32	3.5	4.97	5.00	4.0	5.63	5.67	5.5	7.54	7.58	
			S	1.65	2.42	2.43	2.8	4.02	4.05	3.5	4.97	5.00	3.9	5.50	5.53	5.5	7.54	7.58	
65	2 1/2	76.3	E	2.0	3.70	3.73	3.0	5.48	5.51	3.5	6.35	6.39	5.2	9.21	9.27	7.0	12.1	12.2	
			S	2.1	3.88	3.91	3.0	5.48	5.51	3.5	6.35	6.39	5.2	9.21	9.27	7.0	12.1	12.2	
80	3	89.1	E	2.0	4.34	4.37	3.0	6.43	6.48	4.0	8.48	8.53	5.5	11.5	11.5	7.6	15.4	15.5	
			S	2.1	4.55	4.58	3.0	6.43	6.48	4.0	8.48	8.53	5.5	11.5	11.5	7.6	15.4	15.5	
90	3 1/2	101.6	E	2.5	6.17	6.21	3.0	7.37	7.42	4.0	9.72	9.79	5.7	13.6	13.7	8.1	18.9	19.0	
			S	2.1	5.20	5.24	3.0	7.37	7.42	4.0	9.72	9.79	5.7	13.6	13.7	8.1	18.9	19.0	
100	4	114.3	E	2.5	6.96	7.01	3.0	8.32	8.37	4.0	11.0	11.1	6.0	16.2	16.3	8.6	22.6	22.8	
			S	2.1	5.87	5.91	3.0	8.32	8.37	4.0	11.0	11.1	6.0	16.2	16.3	8.6	22.6	22.8	

呼び径		外 径 (mm)	区 分	呼　　び　　厚　　さ														
				スケジュール5S			スケジュール10S			スケジュール20S			スケジュール40			スケジュール80		
厚 さ (mm)	重量kg/m			厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m				
	種　　類				種　　類			種　　類			種　　類							
	304種				316種	304種		316種	304種		316種	304種		316種	304種	316種		
	304L	316L 309S	304L		316L 309S	304L		316L 309S	304L		316L 309S	304L		316L 309S				
(A)	(B)																	
125	5	139.8	E	3.0	10.2	10.3	3.5	11.9	12.0	5.0	16.8	16.9	6.6	21.9	22.0	9.5	30.8	31.0
			S	2.8	9.56	9.62	3.4	11.6	11.6	5.0	16.8	16.9	6.6	21.9	22.0	9.5	30.8	31.0
150	6	165.2	E	3.0	12.1	12.2	3.5	14.1	14.2	5.0	20.0	20.1	7.1	28.0	28.1	11.0	42.3	42.5
			S	2.8	11.3	11.4	3.4	13.7	13.8	5.0	20.0	20.1	7.1	28.0	28.1	11.0	42.3	42.5
200	8	216.3	E	3.0	15.9	16.0	4.0	21.2	21.3	6.5	34.0	34.2	8.2	42.5	42.8	12.7	64.4	64.8
			S	2.8	14.9	15.0	4.0	21.2	21.3	6.5	34.0	34.2	8.2	42.5	42.8	12.7	64.4	64.8
250	10	267.4	E	3.5	23.0	23.2	4.0	26.2	26.4	6.5	42.2	42.5	9.3	59.8	60.2	15.1	94.9	95.5
			S	3.4	22.4	22.5	4.0	26.2	26.4	6.5	42.2	42.5	9.3	59.8	60.2	15.1	94.9	95.5
300	12	318.5	E	4.0	31.3	31.5	4.5	35.2	35.4	6.5	50.5	50.8	10.3	79.1	79.6	17.4	130.5	131.3
			S	4.0	31.3	31.5	4.5	35.2	35.4	6.5	50.5	50.8	10.3	79.1	79.6	17.4	130.5	131.3

区分 E=TPA S=TPS

配管用大径ステンレスパイプの標準寸法および重量 (JISG3468)

呼び径		外 径 (mm)	呼　　び　　厚　　さ															
(A)	(B)		スケジュール5S			スケジュール10S			スケジュール20S			スケジュール40S			スケジュール80S			
			厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		厚 さ (mm)	重量kg/m		
				種　　類			種　　類			種　　類			種　　類					
				304種	316		304種	316		304種	316		304種	316		304種	316	
			316L		316L		316L		316L		316L		316L		316L		316L	
			304L	309S	304L	309S	304L	309S	304L	309S	304L	309S	304L	316L	304L	316L	304L	316L
			310S		310S		310S		310S		310S							
			321	347	321	347	321	347	321	347	321	347						
350	14	355.6	4.0	35.0	35.3	5.0	43.7	43.9	8.0	69.3	69.7	11.1	95.3	95.9	19	159	160	
400	16	406.4	4.5	45.1	45.3	5.0	50.0	50.3	8.0	79.4	79.9	12.7	125	125	21.4	205	207	

重量計算式

鋼 種	算 式	基本重量kg(厚さ1mm面積1㎡重量)
304・304L・321	$W=0.02491t(D-t)$	7.93
316・316L・309S・310S	$W=0.02507t(D-t)$	7.98

W:管の重量(kg/m) t:管の厚さ(mm) D:管の外径(mm)

規格	サ イ ズ	長 さ		kg/M	規格	サ イ ズ	長 さ		kg/M
EC	10 × 2	RL		0.395	EC	19 × 2	RL		0.838
	10 × 2.5	RL		0.462		19 × 2.5	RL		1.02
	10 × 3	RL		0.518		19 × 3	RL		1.18
						19 × 3.5	RL		1.34
EC	12 × 2	RL		0.493		19 × 4	RL		1.48
	12 × 3	RL		0.666		19 × 4.5	RL		1.61
	12 × 3.5	RL		0.734					
					EC	20 × 2	RL		0.888
SC	13.8 × 4	RL		0.967		20 × 2.5	RL		1.08
						20 × 3	RL		1.26
EC	15 × 2.3	RL		0.72		20 × 3.5	RL		1.42
	15 × 2.5	RL		0.771		20 × 4	RL		1.58
	15 × 2.7	RL		0.819		20 × 4.5	RL		1.72
	15 × 3.2	RL		0.931		20 × 5	RL		1.85
	15 × 3.5	RL		0.993		20 × 5.5	RL		1.97
	15 × 4	RL		1.09		20 × 6	RL		2.07
	15 × 4.5	RL		1.17					
					EC	21 × 2	RL		0.937
EC	16 × 2.5	RL		0.832					
	16 × 3	RL		0.962	EC	21.7 × 4	RL		1.75
	16 × 3.5	RL		1.08	STKM13A	21.7 × 4.7	5.500		1.97
	16 × 4	RL		1.18					
	16 × 4.5	RL		1.28	EC	22 × 3	RL		1.41
						22 × 5	RL		2.1
SC	17.3 × 4	5.500		1.31					
	17.3 × 4.5	5.500		1.42	EC	24 × 6	RL		2.66
	17.3 × 5	RL		1.52					
					EC	25 × 2.6	RL		1.44
EC	18 × 3	RL		1.11					
	18 × 4	RL		1.38	EC	25 × 3	RL		1.63
	18 × 5	RL		1.6		25 × 3.5	RL		1.86

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ		kg/M	規格	サ イ ズ	長 さ		kg/M
EC	25 × 4	RL		2.07	EC	30 × 4.5	RL		2.83
	25 × 4.5	RL		2.27		30 × 5	RL		3.08
	25 × 5	RL		2.47		30 × 6	RL		3.55
	25 × 5.5	RL		2.64		30 × 7	RL		3.97
	25 × 6	RL		2.81		30 × 8	RL		4.34
	25 × 7	RL		3.11					
					STKM13A	31.8 × 3.2	6,000		2.26
EC	25.4 × 3	RL		1.66		31.8 × 3.5	6,000		2.44
	25.4 × 3.5	RL		1.89		31.8 × 4	6,000		2.74
	25.4 × 4	RL		2.11		31.8 × 5	6,000		3.3
	25.4 × 4.5	RL		2.32		31.8 × 6	6,000		3.82
	25.4 × 5	RL		2.52		31.8 × 7	6,000		4.28
						31.8 × 8	6,000		4.7
STKM13A	27.2 × 4.5	6,000		2.52					
	27.2 × 5	6,000		2.74	EC	32 × 4	RL		2.76
	27.2 × 5.5	6,000		2.94		32 × 4.5	RL		3.05
	27.2 × 6	6,000		3.14		32 × 5	RL		3.33
	27.2 × 7	6,000		3.49		32 × 6	RL		3.85
	27.2 × 7.8	6,000		3.73		32 × 7	RL		4.32
						32 × 8	RL		4.73
EC	28 × 3	RL		1.85					
					STKM13A	34 × 4	6,000		2.96
EC	28.6 × 3.2	RL		2.0		34 × 5	6,000		3.58
	28.6 × 4	RL		2.43		34 × 5.5	6,000		3.87
	28.6 × 5	RL		2.91		34 × 6	6,000		4.14
	28.6 × 6	RL		3.34		34 × 6.4	5,500		4.36
						34 × 7	6,000		4.66
EC	30 × 2.6	RL		1.76		34 × 8	6,000		5.13
	30 × 3.2	RL		2.11		34 × 9	6,000		5.55
	30 × 3.5	RL		2.29		34 × 10	6,000		5.92
	30 × 4	RL		2.56					

※上記のサイズ以外でもお問い合わせ下さい。

規格	サイズ	長さ	kg/M	規格	サイズ	長さ	kg/M
EC	35 × 3.5	RL	2.72	STKM13A	42.7 × 5.5	6,000	5.05
	35 × 4	RL	3.06		42.7 × 6	6,000	5.43
	35 × 4.5	RL	3.38		42.7 × 6.4	5,500	5.73
	35 × 5	RL	3.7		42.7 × 7	6,000	6.16
	35 × 5.5	RL	4		42.7 × 8	6,000	6.85
	35 × 6	RL	4.29		42.7 × 9	6,000	7.48
	35 × 7	RL	4.83		42.7 × 10	6,000	8.06
	35 × 8	RL	5.33		42.7 × 12	6,000	9.08
STKM13A	38.1 × 3.5	6,000	2.99	STKM13A	45 × 3.5	6,000	3.85
	38.1 × 4	6,000	3.36		45 × 4	6,000	4.04
	38.1 × 4.5	6,000	3.73		45 × 4.5	6,000	4.49
	38.1 × 5	6,000	4.08		45 × 5	6,000	4.93
	38.1 × 6	6,000	4.75		45 × 6	6,000	5.77
	38.1 × 7	6,000	5.37		45 × 7	6,000	6.56
	38.1 × 8	6,000	5.94		45 × 8	6,000	7.3
	38.1 × 9	6,000	6.46		45 × 9	6,000	7.99
	38.1 × 10	6,000	6.93		45 × 10	6,000	8.63
					45 × 12	6,000	9.77
EC	40 × 2	RL	1.87				
	40 × 3.2	RL	2.9	STKM13A	48.6 × 5.5	6,000	5.85
STKM13A	40 × 3.5	6,000	3.15		48.6 × 6	6,000	6.3
	40 × 4	6,000	3.55		48.6 × 6.5	6,000	6.75
	40 × 4.5	6,000	3.94		48.6 × 7.1	5,500	7.27
	40 × 5	6,500	4.32		48.6 × 8	6,000	8.01
	40 × 6	6,500	5.03		48.6 × 9	6,000	8.79
	40 × 7	6,500	5.7		48.6 × 10	6,000	9.52
	40 × 8	6,500	6.31		48.6 × 11	6,000	10.2
	40 × 10	6,000	7.4		48.6 × 12	6,000	10.8
	40 × 12	6,000	8.29				
				STKM13A	50.8 × 3.5	6,000	4.08

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
STKM13A	50.8 × 4	6,000	4.62	STKM13A	57 × 6	6,000	7.55
	50.8 × 5	6,000	5.65		57 × 7	6,000	8.63
	50.8 × 6	6,000	6.63		57 × 8	6,000	9.67
	50.8 × 7	6,000	7.56		57 × 10	6,000	11.6
	50.8 × 8	6,000	8.44		57 × 12	6,000	13.3
	50.8 × 9	6,000	9.28		57 × 15	6,000	15.5
	50.8 × 10	6,000	10.1		57 × 18	6,000	17.3
	50.8 × 12	6,000	11.5				
	50.8 × 15	6,000	13.2	STKM13A	60.5 × 6	6,000	8.06
					60.5 × 7	6,000	9.24
STKM13A	54 × 4	6,000	4.93		60.5 × 8	6,000	10.4
	54 × 5	6,000	6.04		60.5 × 8.7	5,500	11.1
	54 × 6	6,000	7.1		60.5 × 9	6,000	11.4
	54 × 7	6,000	8.11		60.5 × 10	6,000	12.5
	54 × 8	6,000	9.07		60.5 × 11.1	6,000	13.5
	54 × 9	6,000	9.99		60.5 × 12	6,000	14.4
	54 × 10	6,000	10.9		60.5 × 13	6,000	15.2
	54 × 12	6,000	12.4		60.5 × 15	6,000	16.8
	54 × 15	6,000	14.4		60.5 × 18	6,000	18.9
					60.5 × 20	6,000	20
STKM13A	55 × 4	6,000	5.03				
	55 × 5	6,000	6.16	STKM13A	63.5 × 4	6,000	5.87
	55 × 6	6,000	7.25		63.5 × 5	6,000	7.21
	55 × 7	6,000	8.29		63.5 × 6	6,000	8.51
	55 × 8	6,000	9.27		63.5 × 7	6,000	9.75
	55 × 10	6,000	11.1		63.5 × 8	6,000	10.9
	55 × 12	6,000	12.7		63.5 × 9	6,000	12.1
	55 × 15	6,000	14.8		63.5 × 10	6,000	13.2
					63.5 × 12	6,000	15.2
STKM13A	57 × 3.2	6,000	4.25		63.5 × 15	6,000	17.9
	57 × 5	6,000	6.41		63.5 × 18	6,000	20.2

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
STKM13A	65 × 4	6,000	6.02	STKM13A	73 × 12	6,000	18.1
	65 × 5	6,000	7.4		73 × 14	6,000	20.4
	65 × 6	6,000	8.73		73 × 15	6,000	21.5
	65 × 7	6,000	10		73 × 18	6,000	24.4
	65 × 8	6,000	11.2		73 × 20	6,000	26.1
	65 × 10	6,000	13.6				
	65 × 12	6,000	15.7	STKM13A	76.3 × 7	6,000	12
	65 × 15	6,000	18.5		76.3 × 8	6,000	13.5
	65 × 18	6,000	20.9		76.3 × 9.5	5,500	15.6
	65 × 20	6,000	22.2		76.3 × 10	6,000	16.3
					76.3 × 12	6,000	19
STKM13A	70 × 4	6,000	6.51		76.3 × 14	6,000	21.5
	70 × 5	6,000	8.01		76.3 × 15	6,000	22.7
	70 × 6	6,000	9.47		76.3 × 18	6,000	25.9
	70 × 7	6,000	10.9		76.3 × 20	6,000	27.8
	70 × 8	6,000	12.2		76.3 × 22	RL	29.5
	70 × 9	6,000	13.5		76.3 × 25	6,000	31.6
	70 × 10	6,000	14.8				
	70 × 11	6,000	16	STKM13A	80 × 5	6,000	9.25
	70 × 12	6,000	17.2		80 × 6	6,000	10.9
	70 × 13	6,000	18.3		80 × 7	6,000	12.6
	70 × 15	6,000	20.3		80 × 8	6,000	14.2
	70 × 18	6,000	23.1		80 × 9	6,000	15.8
	70 × 20	6,000	24.7		80 × 10	6,000	17.3
					80 × 12	6,000	20.1
STKM13A	73 × 5	6,000	8.38		80 × 15	6,000	24
	73 × 6.0	6,000	9.91		80 × 17.5	RL	27
	73 × 7	6,000	11.4		80 × 18	6,000	27.5
					80 × 20	6,000	29.6
STKM13A	73 × 8	6,000	12.8		80 × 22	6,000	31.5
	73 × 10	6,000	15.5		80 × 25	6,000	33.9

※上記のサイズ以外でもお問い合わせ下さい。

規格	サイズ	長さ	kg/M	規格	サイズ	長さ	kg/M
STKM13A	82.6 × 5	6,000	9.57	STKM13A	89.1 × 13	6,000	24.4
	82.6 × 6	6,000	11.3		89.1 × 15	6,000	27.4
	82.6 × 7	6,000	13.1		89.1 × 16	5,500	28.8
	82.6 × 8	6,000	14.7		89.1 × 18	6,000	31.6
	82.6 × 9	6,000	16.3		89.1 × 20	6,000	34.1
	82.6 × 10	6,000	17.9		89.1 × 22	6,000	36.4
	82.6 × 12	6,000	20.9		89.1 × 25	6,000	39.5
	82.6 × 13	6,000	22.3				
	82.6 × 15	6,000	25	STKM13A	95 × 6	6,000	13.2
	82.6 × 18	6,000	28.7		95 × 8	6,000	17.2
	82.6 × 20	6,000	30.9		95 × 10	6,000	21
	82.6 × 25	6,000	35.5		95 × 12	6,000	24.6
					95 × 15	6,000	29.6
STKM13A	85 × 5	6,000	9.86		95 × 18	6,000	34.2
	85 × 6	6,000	11.7		95 × 20	6,000	37
	85 × 6.5	6,000	12.6		95 × 22	6,000	39.6
	85 × 7	6,000	13.5		95 × 25	6,000	43.2
	85 × 8	6,000	15.2				
	85 × 10	6,000	18.5	STKM13A	96 × 6.5	6,000	14.3
	85 × 12	6,000	21.6		96 × 8	6,000	17.4
	85 × 15	6,000	25.9		96 × 10	6,000	21.2
	85 × 18	6,000	29.7		96 × 12	6,000	24.9
	85 × 20	6,000	32.1		96 × 15	6,000	30
	85 × 25	6,000	37		96 × 18	6,000	34.5
					96 × 20	6,000	37.5
STKM13A	89.1 × 6	6,000	12.3				
	89.1 × 8	6,000	16	STKM13A	101.6 × 8	6,000	18.5
	89.1 × 9	6,000	17.8		101.6 × 10	6,000	22.6
	89.1 × 10	6,000	19.5		101.6 × 11	6,000	24.6
	89.1 × 11.1	5,500	21.4		101.6 × 12	6,000	26.5
	89.1 × 12	6,000	22.8		101.6 × 12.7	5,500	27.8

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
STKM13A	101.6×15	6,000	32	STKM13A	114.3×8	6,000	21
	101.6×18	6,000	37.1		114.3×10	6,000	25.7
	101.6×20	6,000	40.2		114.3×11.1	5,500	28.2
	101.6×22	6,000	43.2		114.3×12	6,000	30.3
	101.6×25	6,000	47.2		114.3×13.5	5,500	33.6
	101.6×30	6,000	53		114.3×15	6,000	36.7
	101.6×35	6,000	57.5		114.3×16	6,000	38.8
					114.3×18	6,000	42.7
STKM13A	105 × 6	6,000	14.6		114.3×20	6,000	46.5
	105 × 8	6,000	19.1		114.3×22	6,000	50.1
	105 × 10	6,000	23.4		114.3×25	6,000	55.1
	105 × 12	6,000	27.5		114.3×30	6,000	62.4
	105 × 15	6,000	33.3		114.3×35	6,000	68.4
	105 × 20	6,000	41.9				
	105 × 25	6,000	49.3	STKM13A	120 × 5	6,000	14.2
	105 × 30	6,000	55.5		120 × 6	6,000	16.9
					120 × 7	6,000	19.5
STKM13A	110 × 5	6,000	12.9		120 × 8	6,000	22.1
	110 × 6	6,000	15.4		120 × 10	6,000	27.1
	110 × 7	6,000	17.8		120 × 12	6,000	32
	110 × 8	6,000	20.1		120 × 15	6,000	38.8
	110 × 9	6,000	22.4		120 × 18	6,000	45.3
	110 × 10	6,000	24.7		120 × 20	6,000	49.3
	110 × 12	6,000	29		120 × 22	6,000	53.2
	110 × 15	6,000	35.1		120 × 25	6,000	58.6
	110 × 18	6,000	40.8		120 × 30	6,000	66.6
	110 × 20	6,000	44.4		120 × 35	6,000	73.4
	110 × 22	6,000	47.7				
	110 × 25	6,000	52.4	STKM13A	127 × 4.5	6,000	13.6
	110 × 30	6,000	59.2		127 × 5	6,000	15
	110 × 35	6,000	64.7		127 × 6	6,000	17.9

※上記のサイズ以外でもお問い合わせ下さい。

規格	サイズ	長さ	kg/M	規格	サイズ	長さ	kg/M
STKM13A	127 × 7	6,000	20.7	STKM13A	135 × 20	6,000	56.7
	127 × 8	6,000	23.5		135 × 25	6,000	67.8
	127 × 10	6,000	28.9		135 × 30	6,000	77.7
	127 × 12	6,000	34.		135 × 35	6,000	86.3
	127 × 15	6,000	41.4				
	127 × 18	6,000	48.4	STKM13A	139.8 × 10	6,000	32
	127 × 20	6,000	52.8		139.8 × 11	6,000	34.9
	127 × 25	6,000	62.9		139.8 × 12	6,000	37.8
	127 × 30	6,000	71.8		139.8 × 12.7	6,000	39.8
	127 × 35	6,000	79.4		139.8 × 15	6,000	46.2
					139.8 × 15.9	5,500	48.6
STKM13A	130 × 5	6,000	15.4		139.8 × 18	6,000	54.1
	130 × 6	6,000	18.3		139.8 × 20	6,000	59.1
	130 × 7	6,000	21.2		139.8 × 22	6,000	63.9
	130 × 8	6,000	24.1		139.8 × 25	6,000	70.8
	130 × 10	6,000	29.6		139.8 × 30	6,000	81.2
	130 × 12	6,000	34.9		139.8 × 35	6,000	90.5
	130 × 15	6,000	42.5		139.8 × 40	6,000	98.4
	130 × 18	6,000	49.7				
	130 × 20	6,000	54.3	STKM13A	146 × 7	6,000	24
	130 × 22	6,000	58.6		146 × 8	6,000	27.2
	130 × 25	6,000	64.7		146 × 10	6,000	33.5
	130 × 30	6,000	74		146 × 12	6,000	39.7
	130 × 35	6,000	82		146 × 15	6,000	48.5
	130 × 40	6,000	88.8		146 × 20	6,000	62.1
					146 × 25	6,000	74.6
STKM13A	135 × 8	6,000	25.1		146 × 30	6,000	85.8
	135 × 10	6,000	30.8		146 × 35	6,000	95.8
	135 × 12	6,000	36.4				
	135 × 15	6,000	44.4	STKM13A	150 × 8	6,000	28
	135 × 18	6,000	51.9		150 × 10	6,000	34.5

※上記のサイズ以外でもお問い合わせ下さい。

規格	サイズ	長さ	kg/M	規格	サイズ	長さ	kg/M
STKM13A	150 × 12	6,000	40.8	STKM13A	159 × 15	6,000	53.3
	150 × 15	6,000	49.9		159 × 18	6,000	62.6
	150 × 20	6,000	64.1		159 × 20	6,500	68.6
	150 × 25	6,000	77.1		159 × 25	6,500	82.6
	150 × 30	6,000	88.8		159 × 30	6,500	95.4
	150 × 35	6,000	99.3		159 × 35	6,500	107
					159 × 40	6,500	117
STKM13A	152.4 × 5	6,000	18.2				
	152.4 × 6	6,000	21.7	STKM13A	165.2 × 8	6,000	31
	152.4 × 7	6,000	25.1		165.2 × 10	6,000	38.3
	152.4 × 8	6,000	28.5		165.2 × 12	6,000	45.3
	152.4 × 10	6,000	35.1		165.2 × 14.3	5,500	53.2
	152.4 × 12	6,000	41.5		165.2 × 15	6,000	55.6
	152.4 × 15	6,000	50.8		165.2 × 18.2	5,500	66
	152.4 × 18	6,000	59.7		165.2 × 20	6,500	71.6
	152.4 × 20	6,000	65.3		165.2 × 22	6,500	77.7
	152.4 × 25	6,000	78.5		165.2 × 25	6,500	86.4
	152.4 × 30	6,000	90.6		165.2 × 30	6,500	100
	152.4 × 35	6,000	101		165.2 × 35	6,500	112
	152.4 × 40	6,000	111		165.2 × 40	6,500	123
	152.4 × 45	6,000	119		165.2 × 45	6,500	133
					165.2 × 50	6,500	142
STKM13A	154 × 10	6,000	35.5				
	154 × 12	6,000	42	STKM13A	168.3 × 8	6,000	31.6
	154 × 15	6,000	51.4		168.3 × 10	6,000	39
	154 × 20	6,000	66.1		168.3 × 12	6,000	46.3
	154 × 25	6,000	79.5		168.3 × 15	6,000	56.7
					168.3 × 18	6,500	66.7
STKM13A	159 × 8	6,000	29.8		168.3 × 20	6,500	73.1
	159 × 10	6,000	36.7		168.3 × 22	6,500	79.4
	159 × 12	6,000	43.5		168.3 × 25	6,500	88.3

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ		kg/M	規格	サ イ ズ	長 さ		kg/M
STKM13A	168.3×30	6,500		102	STKM13A	185 ×15	6,000		62.9
	168.3×35	6,500		115		185 ×20	6,500		81.4
	168.3×40	6,500		127		185 ×25	6,500		98.6
						185 ×30	6,500		115
STKM13A	177.8×6	6,000		25.4		185 ×35	6,500		129
	177.8×7	6,000		29.5		185 ×40	6,500		143
	177.8×8	6,000		33.5					
	177.8×10	6,000		41.4	STKM13A	190.7×6	6,000		27.3
	177.8×12	6,000		49.1		190.7×7	6,000		31.7
	177.8×15	6,000		60.2		190.7×8	6,500		36
	177.8×18	6,500		70.9		190.7×10	6,000		44.6
	177.8×20	6,500		77.8		190.7×11	6,000		48.6
	177.8×22	6,500		84.5		190.7×12	6,000		52.9
	177.8×25	6,500		94.2		190.7×15	6,000		65
	177.8×30	6,500		109		190.7×18	6,500		76.8
	177.8×35	6,500		123		190.7×20	6,500		84.2
	177.8×40	6,500		136		190.7×22	6,500		91.5
						190.7×25	6,500		102
STKM13A	180 ×8	6,000		33.9		190.7×30	6,500		119
	180 ×10	6,000		41.9		190.7×35	6,500		134
	180 ×12	6,000		49.7		190.7×40	6,500		149
	180 ×15	6,000		61		190.7×45	6,500		162
	180 ×20	5,500		78.9					
	180 ×25	6,500		95.6	STKM13A	193.7×8	6,000		36.6
	180 ×30	6,500		111		193.7×10	6,000		45.3
	180 ×35	6,500		125		193.7×12	6,000		53.8
	180 ×40	6,500		138		193.7×15	6,000		66.1
						193.7×20	6,500		85.7
STKM13A	185 ×8	6,000		34.9		193.7×25	6,500		104
	185 ×10	6,000		43.2		193.7×30	6,500		121
	185 ×12	6,000		51.2		193.7×35	6,500		137

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
STKM13A	193.7× 40	6,500	152	STKM13A	216.3× 10	6,000	50.9
					216.3× 15	6,000	74.5
STKM13A	200 × 30	6,000	126		216.3× 18.2	5,500	88.9
					216.3× 20	6,500	96.8
STKM13A	203 × 8	6,000	38.5		216.3× 23	6,500	110
	203 × 10	6,000	47.6		216.3× 25	5,500	118
	203 × 12	6,000	56.6		216.3× 30	6,500	138
	203 × 15	6,000	69.5		216.3× 35	6,500	156
	203 × 20	6,500	90.3		216.3× 40	6,500	174
	203 × 25	6,500	110		216.3× 45	6,500	190
	203 × 30	6,500	128		216.3× 50	6,500	205
	203 × 35	6,500	145				
	203 × 40	6,500	161	STKM13A	219.1× 8	6,000	41.6
	203 × 45	6,500	175		219.1× 10	6,000	51.6
					219.1× 12	6,000	61.3
SSTKM13A	205 × 8	6,000	38.9		219.1× 15	6,000	75.5
	205 × 10	6,000	48.1		219.1× 18	6,500	89.3
	205 × 12	6,000	57.1		219.1× 20	6,500	98.2
	205 × 15	6,000	70.3		219.1× 23	6,500	111
	205 × 18	6,500	83		219.1× 25	6,500	120
	205 × 20	6,500	91.2		219.1× 30	6,500	140
	205 × 25	6,500	111		219.1× 35	6,500	159
	205 × 30	6,500	129		219.1× 40	6,500	177
	205 × 35	6,500	147		219.1× 45	6,500	193
	205 × 40	6,500	163				
	205 × 45	6,500	178	STKM13A	232 × 8	6,000	44.2
					232 × 10	6,000	54.7
STKM13A	210 × 10	6,000	49.3		232 × 12	6,000	65.1
	210 × 20	6,000	93.7		232 × 15	6,000	80.3
	210 × 25	6,000	114		232 × 18	6,000	95
	210 × 45	6,000	183		232 × 20	6,500	105

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ		kg/M	規格	サ イ ズ	長 さ		kg/M
STKM13A	232 × 25	6,500		128	STKM13A	254 × 8	6,000		48.5
	232 × 30	6,500		149		254 × 10	6,000		60.2
	232 × 35	6,500		170		254 × 12	6,000		71.6
	232 × 40	6,500		189		254 × 15	6,000		88.4
	232 × 45	6,500		208		254 × 20	6,500		115
						254 × 25	6,500		141
STKM13A	241.8 × 8	6,000		46.1		254 × 30	6,500		166
	241.8 × 10	6,000		57.2		254 × 35	6,500		189
	241.8 × 12	6,000		68		254 × 40	6,500		211
	241.8 × 15	6,000		83.9					
	241.8 × 18	6,000		99.3	STKM13A	267.4 × 10	6,000		63.5
	241.8 × 20	6,500		109		267.4 × 12	6,000		75.6
	241.8 × 25	6,500		134		267.4 × 18.2	6,000		112
	241.8 × 30	6,500		157		267.4 × 20	6,500		122
	241.8 × 35	6,500		178		267.4 × 21.4	6,000		130
	241.8 × 40	6,500		199		267.4 × 25	6,000		149
	241.8 × 45	6,500		218		267.4 × 28.6	6,500		168
	241.8 × 50	6,500		236		267.4 × 30	6,500		176
						267.4 × 35	6,500		201
STKM13A	244.5 × 8	6,000		46.7		267.4 × 40	6,500		224
	244.5 × 10	6,000		57.8		267.4 × 45	6,500		247
	244.5 × 12	6,000		68.8		267.4 × 50	6,500		268
	244.5 × 15	6,000		84.9		267.4 × 60	6,500		307
	244.5 × 18	6,000		101					
	244.5 × 20	6,500		111	STKM13A	273.1 × 10	6,000		64.9
	244.5 × 25	6,500		135		273.1 × 12	6,000		77.3
	244.5 × 30	6,500		159		273.1 × 15	6,000		95.5
	244.5 × 35	6,500		181		273.1 × 20	6,500		125
	244.5 × 40	6,500		202		273.1 × 25	6,500		153
	244.5 × 45	6,500		221		273.1 × 30	6,500		180
						273.1 × 35	6,500		206

※上記のサイズ以外でもお問い合わせ下さい。

規格	サイズ	長さ	kg/M	規格	サイズ	長さ	kg/M
STKM13A	273.1×40	6,500	230	STKM13A	305×15	6,000	107
	273.1×45	6,500	253		305×20	6,000	141
	273.1×50	6,500	275		305×25	6,000	173
					305×30	6,000	203
STKM13A	280×10	6,500	66.6		305×35	6,000	233
	280×12	6,000	79.3		305×40	6,000	261
	280×15	6,000	98		305×45	6,000	289
	280×20	6,500	128		305×50	6,000	314
	280×25	6,500	157				
	280×30	6,500	185	STKM13A	318.5×12	6,000	90.7
	280×35	6,500	211		318.5×15	6,000	112
	280×40	6,500	237		318.5×20	6,000	147
					318.5×21.4	5,500	157
STKM13A	298.5×8	6,000	57.3		318.5×25.4	5,500	184
	298.5×10	6,000	71.1		318.5×28.6	5,500	204
	298.5×12	6,000	84.8		318.5×30	6,500	213
	298.5×15	6,000	105		318.5×33.3	6,500	234
	298.5×18	6,000	125		318.5×35	6,500	245
	298.5×20	6,500	137		318.5×40	6,500	275
	298.5×25	6,500	169		318.5×45	6,500	304
	298.5×28	6,500	187		318.5×50	6,500	331
	298.5×30	6,500	199		318.5×55	6,500	357
	298.5×35	6,500	227		318.5×60	6,500	382
	298.5×40	6,500	255		318.5×65	6,500	406
	298.5×45	6,500	281				
	298.5×50	6,500	306	STKM13A	323.9×10	6,000	77.4
	298.5×55	6,000	330		323.9×12	6,000	92.3
	298.5×60	6,000	353		323.9×15	6,000	114
					323.9×20	6,000	150
STKM13A	305×10	6,000	72.7		323.9×25	6,500	184
	305×12	6,000	86.7		323.9×30	6,500	217

※上記のサイズ以外でもお問い合わせ下さい。

規格	サイズ	長さ	kg/M	規格	サイズ	長さ	kg/M
STKM13A	323.9×35	6,500	249	STKM13A	355.6×55	6,500	407.7
	323.9×40	6,500	280		355.6×60	6,500	437
	323.9×45	6,500	309				
	323.9×50	6,500	338	STKM13A	365×10	6,500	87.5
					365×12	6,500	104
STKM13A	339.7×10	6,000	81.3		365×15	6,500	129
	339.7×12	6,000	97		365×20	6,500	170
	339.7×15	6,000	120		365×25	6,500	210
	339.7×20	6,500	158		365×30	6,500	248
	339.7×25	6,500	194		365×35	6,500	285
	339.7×30	6,500	229		365×40	6,500	321
	339.7×35	6,500	263		365×45	6,500	355
	339.7×40	6,500	296		365×60	6,500	451
	339.7×45	6,500	327				
	339.7×50	6,500	357	STKM13A	381×10	6,000	91.5
	339.7×55	6,500	386		381×12	6,000	109
	339.7×60	6,500	414		381×15	6,000	135
					381×20	6,500	178
STKM13A	340×60	6,500	414		381×25	6,500	219
					381×30	6,500	260
STKM13A	355.6×20	6,000	166		381×35	6,500	299
	355.6×23.8	6,500	195		381×40	6,500	336
	355.6×25	6,500	204		381×45	6,500	373
	355.6×27.8	6,000	225		381×50	6,500	408
	355.6×30	6,500	241				
	355.6×31.8	6,500	254	STKM13A	406.4×12.7	5,500	123
	355.6×35.7	6,500	282		406.4×16.7	5,500	160
	355.6×40	6,500	311		406.4×21.4	5,500	203
	355.6×42	6,500	325		406.4×25	5,500	235
	355.6×45	6,500	345		406.4×25.4	5,500	238
	355.6×50	6,500	376		406.4×26.2	5,500	246

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ		kg/M
STKM13A	406.4× 30.9	5,500		286
	406.4× 35	6,500		321
	406.4× 36.5	5,500		335
	406.4× 40.5	5,500		365
	406.4× 45	5,500		401
	406.4× 50	5,500		439
	406.4× 55	5,500		447
	406.4× 60	5,500		513
STKM13A	426 × 12	6,500		123
	426 × 15	6,500		152
	426 × 20	6,500		200
	426 × 25	6,500		247
	426 × 30	6,500		293
	426 × 35	6,500		337
	426 × 40	6,500		381
	426 × 45	6,500		423
	426 × 50	6,500		464
	426 × 60	6,500		542

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ		kg/M	規格	サ イ ズ	長 さ		kg/M
S45C	21.7 × 4	RL		1.75	S45C	38.1 × 10	6,000		6.93
	21.7 × 5	RL		2.06					
	21.7 × 6	RL		2.32	S45C	40.0 × 10	6,000		7.4
	21.7 × 7	RL		2.54					
					S45C	42.7 × 3.5	6,000		3.38
S45C	25.4 × 4	6,000		2.11		42.7 × 4.5	6,000		4.24
	25.4 × 5	6,000		2.52		42.7 × 5	6,000		4.65
	25.4 × 6	6,000		2.87		42.7 × 6	6,000		5.43
	25.4 × 7	6,000		3.18		42.7 × 7	6,000		6.16
						42.7 × 8	6,000		6.85
S45C	27.2 × 4	6,000		2.29		42.7 × 10	6,000		8.06
	27.2 × 5	6,000		2.74		42.7 × 12	6,000		9.08
	27.2 × 6	6,000		3.14					
	27.2 × 7	6,000		3.49	S45C	45 × 4	6,000		4.04
	27.2 × 8	6,000		3.79		45 × 5	6,000		4.93
						45 × 6	6,000		5.77
S45C	31.8 × 4	6,000		2.74		45 × 7	6,000		6.58
	31.8 × 4.5	6,000		3.03		45 × 8	6,000		7.3
	31.8 × 6	6,000		3.82		45 × 9	6,000		7.99
						45 × 10	6,000		8.63
S45C	34 × 3.5	6,000		2.63					
	34 × 4	6,000		2.96	S45C	48.6 × 5	6,000		5.38
	34 × 5	6,000		3.58		48.6 × 6	6,000		6.3
	34 × 6	6,000		4.14		48.6 × 7	6,000		7.18
	34 × 6.4	6,000		4.36		48.6 × 8	6,000		8.01
	34 × 8	6,000		5.13		48.6 × 9	6,000		8.79
	34 × 10	6,000		5.92		48.6 × 10	6,000		9.52
						48.6 × 12	6,000		10.8
S45C	38.1 × 6	6,000		4.75		48.6 × 15	6,000		12.4
	38.1 × 7	6,000		5.37					
	38.1 × 8	6,000		5.94	S45C	50.8 × 6	6,000		6.63

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
S45C	50.8×7	6,000	7.56	S45C	60.5×15	6,000	16.8
	50.8×8	6,000	8.44		60.5×18	6,000	18.9
	50.8×9	6,000	9.28				
	50.8×10	6,000	10.1	S45C	63.5×6	6,000	8.51
	50.8×12	6,000	11.5		63.5×8	6,000	10.9
	50.8×15	6,000	13.2		63.5×10	6,000	13.2
					63.5×12	6,000	15.2
S45C	54 × 5	6,000	6.04		63.5×15	6,000	17.9
	54 × 6	6,000	7.1				
	54 × 8	6,000	9.07	S45C	65 × 6	6,000	8.73
	54 × 9	6,000	9.99		65 × 8	6,000	11.2
	54 × 10	6,000	10.9		65 × 10	6,000	13.6
	54 × 12	6,000	12.4		65 × 12	6,000	15.7
	54 × 14	6,000	13.8		65 × 15	6,000	18.5
	54 × 16	6,000	15				
	54 × 18	6,000	16	S45C	68.1×8	6,800	11.9
S45C	57 × 5	6,000	6.41	S45C	70 × 6	6,000	9.47
	57 × 7	6,000	8.63		70 × 7	6,000	10.9
	57 × 8	6,000	9.67		70 × 8	6,000	12.2
	57 × 10	6,000	11.6		70 × 9	6,000	13.5
	57 × 12	6,000	13.3		70 × 10	6,000	14.8
	57 × 15	6,000	15.5		70 × 12	6,000	17.2
					70 × 13	6,000	18.3
S45C	60.5×5	6,000	6.84		70 × 15	6,000	20.3
	60.5×6	6,000	8.06		70 × 18	6,000	23.1
	60.5×7	6,000	9.24		70 × 20	6,000	24.7
	60.5×8	6,000	10.4				
	60.5×8.7	6,000	11.1	S45C	73 × 6	6,000	9.91
	60.5×10	6,000	12.5		73 × 8	6,000	12.8
	60.5×12	6,000	14.4		73 × 10	6,000	15.5

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
S45C	73 × 12	6,000	18.1	S45C	85 × 8	6,000	15.2
	73 × 13	6,000	19.2		85 × 10	6,000	18.5
	73 × 15	6,000	21.5		85 × 12	6,000	21.6
	73 × 18	6,000	24.4		85 × 15	6,000	25.9
	73 × 20	6,000	26.1		85 × 18	6,000	29.7
					85 × 20	6,000	32.1
S45C	76.3 × 5.5	6,000	9.6		85 × 25	6,000	37
	76.3 × 6	6,000	10.4				
	76.3 × 7	6,000	12.0	S45C	89.1 × 8	6,000	16
	76.3 × 8	6,000	13.5		89.1 × 10	6,000	19.5
	76.3 × 10	6,000	16.3		89.1 × 11.1	6,000	21.4
	76.3 × 12	6,000	19.0		89.1 × 12	6,000	22.8
	76.3 × 15	6,000	22.7		89.1 × 15	6,000	27.4
	76.3 × 18	6,000	25.9		89.1 × 18	6,000	31.6
	76.3 × 20	6,000	27.8		89.1 × 20	6,000	34.1
					89.1 × 22	6,000	36.4
S45C	80 × 8	6,000	14.2		89.1 × 25	6,000	39.6
	80 × 10	6,000	17.3				
	80 × 12	6,000	20.1	S45C	95 × 8	6,000	17.2
	80 × 15	6,000	24.0		95 × 10	6,000	21
	80 × 18	6,000	27.5		95 × 12	6,000	24.6
	80 × 20	6,000	29.6		95 × 15	6,000	29.6
	80 × 25	6,000	33.9		95 × 20	6,000	37
					95 × 22	6,000	39.6
S45C	82.6 × 8	6,000	14.7		95 × 25	6,000	43.2
	82.6 × 10	6,000	17.9				
	82.6 × 12	6,000	20.9	S45C	96 × 10	6,000	21.2
	82.6 × 15	6,000	25.0		96 × 12	6,000	24.9
	82.6 × 18	6,000	28.7		96 × 15	6,000	30
	82.6 × 20	6,000	30.9		96 × 20	6,000	37.5
					96 × 25	6,000	43.8

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ		kg/M	規格	サ イ ズ	長 さ		kg/M
S45C	101.6×8	6,000		18.5	S45C	114.3×15	6,000		36.7
	101.6×10	6,000		22.6		114.3×18	6,000		42.7
	101.6×12	6,000		26.5		114.3×20	6,000		46.5
	101.6×12.7	6,000		27.8		114.3×25	6,000		55.1
	101.6×15	6,000		32		114.3×30	6,000		62.4
	101.6×18	6,000		37.1		114.3×35	6,000		68.4
	101.6×20	6,000		40.2					
	101.6×22	6,000		43.2	S45C	120 ×10	6,000		27.1
	101.6×25	6,000		47.2		120 ×12	6,000		32
	101.6×30	6,000		53		120 ×15	6,000		38.8
						120 ×18	6,000		45.3
S45C	105 ×10	6,000		23.4		120 ×20	6,000		49.3
	105 ×12	6,000		27.5		120 ×25	6,000		58.6
	105 ×15	6,000		33.3		120 ×30	6,000		66.6
	105 ×20	6,000		41.9					
	105 ×25	6,000		49.3	S45C	127 ×8	6,000		23.5
	105 ×30	6,000		55.5		127 ×10	6,000		28.9
						127 ×12	6,000		34
S45C	110 ×10	6,000		24.7		127 ×15	6,000		41.4
	110 ×12	6,000		29		127 ×18	6,000		48.4
	110 ×15	6,000		35.1		127 ×20	6,000		52.8
	110 ×18	6,000		40.8		127 ×25	6,000		62.9
	110 ×20	6,000		44.4		127 ×30	6,000		71.8
	110 ×25	6,000		52.4		127 ×35	6,000		79.4
	110 ×30	6,000		59.2					
	110 ×35	6,000		64.7	S45C	130 ×8	6,000		24.1
						130 ×12	6,000		34.9
S45C	114.3×8	6,000		21		130 ×15	6,000		42.5
	114.3×10	6,000		25.7		130 ×20	6,000		54.3
	114.3×12	6,000		30.3		130 ×25	6,000		64.7
	114.3×13.5	6,000		33.6		130 ×30	6,000		74

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
S45C	130 × 40	6,000	88.8	S45C	152.4 × 30	6,500	90.6
					152.4 × 35	6,500	101
S45C	135 × 10	6,000	30.8		152.4 × 40	6,500	111
	135 × 12	6,000	36.4		152.4 × 45	6,500	119
	135 × 15	6,000	44.4				
	135 × 20	6,000	56.7	S45C	159 × 10	6,000	36.7
	135 × 25	6,000	67.8		159 × 12	6,000	43.5
	135 × 30	6,000	77.7		159 × 15	6,000	53.3
					159 × 18	6,000	62.6
S45C	139.8 × 8	6,000	26		159 × 20	6,000	68.6
	139.8 × 10	6,000	32		159 × 25	6,000	82.6
	139.8 × 12	6,000	37.8		159 × 30	6,000	95.4
	139.8 × 15	6,000	46.2		159 × 35	6,000	107
	139.8 × 18	6,000	54.1		159 × 40	6,000	117
	139.8 × 20	6,000	59.1				
	139.8 × 25	6,000	70.8	S45C	165.2 × 10	6,000	38.3
	139.8 × 30	6,000	81.2		165.2 × 12	6,000	45.3
	139.8 × 35	6,000	90.5		165.2 × 15	6,000	55.6
					165.2 × 20	6,500	71.6
S45C	146 × 12	6,000	39.7		165.2 × 25	6,500	86.4
	146 × 15	6,000	48.5		165.2 × 30	6,500	100
	146 × 20	6,000	62.1		165.2 × 35	6,500	112
	146 × 25	6,000	74.6		165.2 × 40	6,500	123
	146 × 30	6,000	85.8				
	146 × 35	6,000	95.8	S45C	168.3 × 20	6,500	73.1
					168.3 × 25	6,500	88.3
S45C	152.4 × 10	6,000	35.1		168.3 × 30	6,000	102
	152.4 × 12	6,000	41.5		168.3 × 35	6,500	115
	152.4 × 15	6,600	50.8				
	152.4 × 20	6,500	65.3	S45C	177.8 × 10	6,000	41.4
	152.4 × 25	6,500	78.5		177.8 × 15	6,000	60.2

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
S45C	177.8×20	6,500	77.8	S45C	216.3×20	6,500	96.8
	177.8×25	6,500	94.2		216.3×23	6,500	110
	177.8×30	6,500	109		216.3×25	6,500	118
	177.8×35	6,500	123		216.3×30	6,500	138
	177.8×40	6,500	136		216.3×35	6,500	156
	177.8×45	6,500	147		216.3×40	6,500	174
					216.3×50	6,500	205
S45C	185 ×15	6,500	62.9				
	185 ×20	6,500	81.4	S45C	219.1×15	6,500	75.5
	185 ×25	6,500	98.6		219.1×20	6,000	98.2
	185 ×30	6,500	115		219.1×25	6,000	120
	185 ×40	6,500	143		219.1×30	6,000	140
					219.1×35	6,000	159
S45C	190.7×15	6,500	65.0				
	190.7×20	6,500	84.2	S45C	232 ×15	6,500	80.3
	190.7×25	6,500	102		232 ×20	6,500	105
	190.7×30	6,500	119		232 ×25	6,500	128
	190.7×35	6,500	134		232 ×30	6,500	149
	190.7×40	6,500	149		232 ×35	6,500	170
	190.7×45	6,500	162		232 ×40	6,500	189
					232 ×45	6,500	208
S45C	193.7×15	6,000	66.1				
				S45C	241.8×20	6,500	109
S45C	205 ×15	6,000	70.3		241.8×25	6,500	134
	205 ×20	6,500	91.2		241.8×30	6,500	157
	205 ×25	6,500	111		241.8×35	6,500	178
	205 ×30	6,500	129		241.8×40	6,500	199
	205 ×35	6,500	147				
	205 ×40	6,500	163	S45C	244.5×15	6,500	84.9
	205 ×45	6,500	178		244.5×20	6,500	111
					244.5×25	6,500	135
S45C	216.3×15	6,500	74.5		244.5×30	6,500	159

※上記のサイズ以外でもお問い合わせ下さい。

規格	サ イ ズ	長 さ	kg/M	規格	サ イ ズ	長 さ	kg/M
S45C	244.5 × 35	6,500	181	S45C	305 × 25	6,500	173
	244.5 × 40	6,500	202		305 × 30	6,500	203
	244.5 × 45	6,500	221		305 × 35	6,500	233
S45C	254 × 15	6,500	88.4	S45C	318.5 × 20	6,500	147
	254 × 20	6,500	115		318.5 × 25	6,500	181
	254 × 25	6,500	141		318.5 × 30	6,500	213
	254 × 30	6,500	166		318.5 × 33.3	6,500	234
	254 × 35	6,500	189		318.5 × 35	6,500	245
					318.5 × 40	6,500	275
S45C	267.4 × 20	6,000	122		318.5 × 50	6,500	331
	267.4 × 25	6,500	149		318.5 × 55	6,500	357
	267.4 × 30	6,500	176		318.5 × 60	6,500	382
	267.4 × 35	6,500	201				
	267.4 × 40	6,500	224	S45C	323.9 × 25	6,500	184
					323.9 × 30	6,500	217
S45C	273.1 × 20	6,500	125				
	273.1 × 25	6,500	153	S45C	339.7 × 20	6,500	158
	273.1 × 30	6,500	180		339.7 × 25	6,500	194
	273.1 × 35	6,500	206		339.7 × 30	6,500	229
					339.7 × 35	6,500	263
S45C	280 × 30	6,500	185		339.7 × 40	6,500	296
	280 × 35	6,500	211		339.7 × 45	6,500	327
					339.7 × 50	6,500	357
S45C	298.5 × 20	6,000	137				
	298.5 × 25	6,500	169	S45C	355.6 × 10	6,500	85.2
	298.5 × 30	6,500	199		355.6 × 20	6,500	166
	298.5 × 35	6,500	227		355.6 × 25	6,500	204
	298.5 × 40	6,500	255		355.6 × 30	6,500	241
	298.5 × 45	6,500	281		355.6 × 35.7	6,500	282
					355.6 × 40	6,500	311
S45C	305 × 15	6,500	107		355.6 × 45	6,500	345
	305 × 20	6,500	141		355.6 × 50	6,500	377

※上記のサイズ以外でもお問い合わせ下さい。

[illegible]

当「寸法重量表」に記載されていない商品につきましてはお気軽にお問い合わせ下さい。

※上記のサイズ以外でもお問い合わせ下さい。



パイプの構造

URL: <http://www.pipe-no-yamato.co.jp>

